

Section 1. Identification

Product identifier : UAN 32-0-0

Other means of identification : Synonym: Urea Ammonium Nitrate Solution 32-0-0; UAN Solution 32-0-0; UAN Liquid Fertilizer Blend 32-0-0; UAN 32
Product code: 508-12617
Historic MSDS #: 16007

Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Fertilizer solution	
Uses advised against	Reason
None.	Risk assessment.

Supplier's details : Agrium Wholesale
13131 Lake Fraser Drive, S.E.
Calgary, Alberta, Canada, T2J 7E8

Agrium U.S. Inc.
Suite 1700, 4582 South Ulster St.
Denver, Colorado, U.S.A., 80237

Company phone number (North America):
1-800-403-2861 (Customer Service)

Emergency telephone number (with hours of operation) : Agrium 24 Hr Emergency Telephone Numbers:
English:
Transportation Emergencies: 1-800-792-8311
Medical Emergencies: 1-303-389-1653

French or Spanish:
Transportation or Medical Emergencies: 1-303-389-1654

Section 2. Hazard identification

Classification of the substance or mixture : EYE IRRITATION - Category 2B

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

GHS label elements

Hazard pictograms : **Not Applicable.**
No Aplicable.
Non applicable.

Signal word : Warning

Hazard statements : Causes eye irritation.

Precautionary statements

General : Not applicable.

Prevention : Wash hands thoroughly after handling.

Response : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Section 2. Hazard identification

- Storage** : Not applicable.
- Disposal** : Not applicable.
- Supplemental label elements** : None known.
- Other hazards which do not result in classification** : None known.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	% (w/w)	CAS number
Ammonium nitrate	45	6484-52-2
Urea	35	57-13-6
Water	20	7732-18-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

Description of necessary first aid measures

- Eye contact** : Begin eye irrigation immediately. Exposures to eye irritants may require medical evaluation following decontamination if pain or irritation persists. Immediately rinse eyes with large quantities of water or saline for a minimum of 15 minutes. If possible, remove contact lenses being careful not to cause additional eye damage. If the initial water supply is insufficient, keep the affected area wet with a moist cloth and transfer the person to the nearest place where rinsing can be continued for the recommended length of time. For additional advice call the medical emergency number on this SDS or your poison center or doctor.
- Inhalation** : Remove person to fresh air. No known significant effects. Seek medical attention for any signs of wheezing and/or breathing difficulties. For additional advice call the medical emergency number on this SDS or your poison center or medical provider.
- Skin contact** : No known significant effects. Rinse the affected areas with water. Remove contaminated clothing, jewelry, and shoes. Wash/clean items before reuse. Seek medical attention for persistent skin pain or irritation. For additional advice call the medical emergency number on this SDS or your poison center or doctor.
- Ingestion** : Ammonium nitrate-based fertilizer. May be irritating to mouth, throat and stomach. May cause methemoglobinemia (a condition that interferes with the oxygen-carrying capacity of the blood) if ingested in large quantities or over a prolonged period of time. Oral exposures: if the affected person requires CPR, avoid mouth to mouth contact. Do not induce vomiting. If vomiting occurs, attempt to keep head lower than chest so that vomit does not enter the lungs. Wash (decontaminate) face and mouth with water to remove visible material. If the exposed person is conscious and can swallow, give 1-2 sips of water. Do not give anything else by mouth. Loosen tight clothing such as collar, tie, belt or waistband to prevent any breathing restrictions. Call for emergency transportation to a hospital if the exposed person feels sick or has breathing difficulties, or a large amount is suspected ingested. For additional advice, call the medical emergency number on this SDS or your poison center or doctor.

Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : Causes eye irritation.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.

Section 4. First-aid measures

Ingestion : May be irritating to the digestive tract. May cause nausea, vomiting, diarrhea, and abdominal pain. May cause methemoglobinemia (a condition that interferes with the oxygen-carrying capacity of the blood) if ingested in large quantities or over a prolonged period of time. Persons with methemoglobinemia may have blue tinge color to lips, nails, and skin. Also they may have shortness of breath or trouble breathing. Persons more susceptible to methemoglobinemia include: very young (less than 3 months), the elderly, those with chronic obstructive pulmonary disease (COPD), anemia, coronary artery disease, recent surgery or infection, and those with a genetic deficiency of G-6-PD.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:
irritation
watering
redness

Inhalation : No specific data.

Skin contact : No specific data.

Ingestion : Over-exposure by ingestion is unlikely under normal working conditions. Adverse symptoms may include the following:
nausea or vomiting
stomach pains
diarrhea
Methemoglobinemia (see Acute Health Effects)

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products (carbon monoxide, carbon dioxide, nitrogen oxides) in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for up to 72 hours. In cases of suspected methemoglobinemia, monitor methemoglobin blood levels. Treatment is supportive; methylene blue may be indicated based on patient severity. 24 Hr Medical Emergency telephone number for professional support: English: 1-303-389-1653; French or Spanish: 1-303-389-1654.

Specific treatments : Call the medical emergency number on this SDS or your poison center or doctor immediately if large quantities have been ingested. In cases of suspected methemoglobinemia, methylene blue may be indicated based on patient severity.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. Mouth-to-mouth resuscitation of oral exposure patients is not recommended. First-aiders with contaminated clothing should be properly decontaminated.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Non-flammable. Material will not burn. Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media : None known.

Specific hazards arising from the chemical : Not an oxidizer at the manufactured concentration. It may become an oxidizing liquid if concentrated by evaporation. If evaporated to dryness, the product acts as an oxidizing agent, and supports combustion by liberating oxygen even if smothered. Cool containing vessels with flooding quantities of water until well after fire is out. A self contained breathing apparatus should be used to avoid inhalation of toxic fumes. When heated to decomposition it emits toxic fumes (NH₃, NO, NO₂...). Contaminated water can cause environmental damage. Contain and collect water used to fight fire.

Section 5. Fire-fighting measures

- Hazardous thermal decomposition products** : Decomposes on heating. Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides
- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
- Remark** : Dangerous if allowed to dry out. Residue may exhibit oxidizing properties.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Use personal protective equipment as required. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Use personal protective equipment as required. Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Pump spilled material to a suitable, labeled container for recycling or disposal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 7. Handling and storage

Conditions for safe storage, including any incompatibilities : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Incompatible with copper alloys. May form corrosive sludge on prolonged storage. Contact your sales representative or a metallurgical specialist to ensure compatibility with your equipment.

While UAN as produced is not classified as an oxidizer, it is important to prevent conditions during handling and storage which may result in concentration of the product which may encourage it to behave as an oxidizer. Ensure that UAN solution pumps are thermally protected against exceeding a temperature of 66 deg. C (150 deg. F). Also ensure that piping systems, if insulated, are not externally heated (heat traced). While this product, as produced, is not classified as an oxidizer, it is important to prevent conditions during handling and storage which may result in concentration of the product which may encourage it to behave as an oxidizer. Ensure that pumps are thermally protected against exceeding a temperature of 66 deg. C (150 deg. F). Also ensure that piping systems, if insulated, are not externally heated (heat traced). Refer to NFPA 400 Hazardous Materials Code for further information on the safe storage and handling of hazardous materials.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

<u>Ingredient name</u>	<u>Exposure limits</u>
Canadian Regulations	None assigned.
U.S. Federal Regulations	None assigned.

Appropriate engineering controls : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection : The personal protective equipment required varies, depending upon your risk assessment. Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. No special measures are typically indicated.

Body protection : The personal protective equipment required varies, depending upon your risk assessment. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Contact your personal protective equipment supplier to verify the compatibility of the equipment for the intended purpose.

Section 8. Exposure controls/personal protection

- Other skin protection** : Hazard of slipping on spilled product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Contact your personal protective equipment supplier to verify the compatibility of the equipment for the intended purpose.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. For U.S. work sites where respiratory protection is required, ensure that a respiratory protection program meeting 29 CFR 1910.134 requirements is in place.

Section 9. Physical and chemical properties

Appearance

- Physical state** : Liquid. [Clear to slightly hazy liquid.]
- Color** : Not available.
- Odor** : Ammoniacal. [Slight]
- Odor threshold** : Not available.
- pH** : 6 to 7
- Melting point** : -2°C (28.4°F)
- Boiling point** : 121°C (249.8°F)
- Flash point** : [Product does not sustain combustion.]
- Evaporation rate** : Not available.
- Flammability (solid, gas)** : Non-combustible. Decomposes on heating. Evolves toxic fumes when heated to decomposition.
- Lower and upper explosive (flammable) limits** : Not applicable.
- Vapor pressure** : Not available.
- Vapor density** : Not available.
- Relative density** : 1.32
- Solubility** : Easily soluble in the following materials: cold water and hot water.
- Solubility in water** : Water-soluble liquid
- Partition coefficient: n-octanol/water** : Not available.
- Auto-ignition temperature** : Not applicable.
- Decomposition temperature** : Not applicable.
- Viscosity** : Not available.

Section 10. Stability and reactivity

- Reactivity** : Not an oxidizer at the manufactured concentration. It may become an oxidizing liquid if concentrated by evaporation. Keep away from incompatible materials.
- Chemical stability** : The product is stable.
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- Conditions to avoid** : Do not allow to dry out. Avoid high temperatures in combination with high pressures.

Section 10. Stability and reactivity

Incompatible materials : Adequate, well engineered systems must be provided for the safe storage, transfer and use of this product. May be incompatible with some materials of construction. Incompatible with copper alloys, copper, and zinc. May form corrosive sludge on prolonged storage. Incompatible with halogens. Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Urea Ammonium Nitrate Solution	LD50 Dermal	Rat - Male, Female	>5000 mg/kg	-
Ammonium nitrate	LD50 Oral	Rat	2217 mg/kg	-
	LD50 Oral	Rat - Male, Female	2950 mg/kg	-
Urea	LD50 Oral	Rat	8471 mg/kg	-
Water	LD50 Oral	Rat	>90 g/kg	-

Conclusion/Summary : Very low toxicity to humans or animals.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Ammonium nitrate	Skin	Rabbit	0	-	72 hours
	Eyes - Edema of the conjunctivae	Rabbit	3	-	3 days

Conclusion/Summary

Skin : Non-irritating to the skin.

Eyes : Irritating to the eyes.

Sensitization

Product/ingredient name	Route of exposure	Species	Result
Ammonium nitrate	Skin	Mouse	Not sensitizing

Conclusion/Summary

Skin : Non-sensitizer.

Respiratory : Not available.

Mutagenicity

Product/ingredient name	Test	Experiment	Result
Ammonium nitrate	OECD 471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative
	OECD 476 <i>In vitro</i> Mammalian Cell Gene Mutation Test	Experiment: In vitro Subject: Mammalian-Animal	Negative

Conclusion/Summary : No mutagenic effect.

Carcinogenicity

Not available.

Conclusion/Summary : No known significant effects or critical hazards. Potential for nitrosamine formation if ingested. Do not ingest.

Reproductive toxicity

Section 11. Toxicological information

Product/ingredient name	Maternal toxicity	Fertility	Development toxin	Species	Dose	Exposure
Ammonium nitrate	Negative	Negative	Negative	Rat - Male, Female	Oral: 1500 mg/ kg	-

Conclusion/Summary : No known significant effects or critical hazards.

Teratogenicity

Product/ingredient name	Result	Species	Dose	Exposure
Ammonium nitrate	Negative - Oral	Rat - Female	1500 mg/kg	-

Conclusion/Summary : No known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Routes of entry anticipated:
Oral
Eye contact

Potential acute health effects

Eye contact : Causes eye irritation.

Inhalation : No known significant effects or critical hazards.

Skin contact : No known significant effects or critical hazards.

Ingestion : May be irritating to the digestive tract. May cause nausea, vomiting, diarrhea, and abdominal pain. May cause methemoglobinemia (a condition that interferes with the oxygen-carrying capacity of the blood) if ingested in large quantities or over a prolonged period of time. Persons with methemoglobinemia may have blue tinge color to lips, nails, and skin. Also they may have shortness of breath or trouble breathing. Persons more susceptible to methemoglobinemia include: very young (less than 3 months), the elderly, those with chronic obstructive pulmonary disease (COPD), anemia, coronary artery disease, recent surgery or infection, and those with a genetic deficiency of G-6-PD.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:
irritation
watering
redness

Inhalation : No specific data.

Skin contact : No specific data.

Ingestion : Over-exposure by ingestion is unlikely under normal working conditions. Adverse symptoms may include the following:
nausea or vomiting
stomach pains
diarrhea
Methemoglobinemia (see Acute Health Effects)

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : See above

Section 11. Toxicological information

Potential delayed effects : See above

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General : No known significant effects or critical hazards.

Carcinogenicity : Potential for nitrosamine formation if ingested. Do not ingest.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Urea Ammonium Nitrate Fertilizer Solution	NOEC >1700 mg/l Marine water	Algae	10 days
Ammonium nitrate Urea	Acute EC50 490 mg/l Fresh water	Daphnia	48 hours
	Acute LC50 447 mg/l Fresh water	Fish	48 hours
	Chronic NOEC 6 to 12 mg/l Fresh water	Crustaceans - Cladocera	21 days
	Acute EC50 3910000 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 1000 mg/l Marine water	Crustaceans - Chaetogammarus marinus - Young	48 hours
	Acute LC50 5000 µg/l Fresh water	Fish - Colisa fasciata - Fingerling	96 hours
	Chronic NOEC 2 g/L Fresh water	Fish - Heteropneustes fossilis	30 days

Conclusion/Summary : Practically non-toxic to aquatic organisms. Very low acute toxicity to fish.

Persistence and degradability

Conclusion/Summary : According to EC criteria: Readily biodegradable

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Urea Ammonium Nitrate Fertilizer Solution	-	-	Readily

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Urea	<-1.73	-	low
Water	-1.38	-	low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	TDG Classification	DOT Classification	Mexico Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code

Section 15. Regulatory information

Canadian lists

Canadian NPRI : The following components are listed: Ammonia (total)

CEPA Toxic substances : None of the components are listed.

Canada inventory : All components are listed or exempted.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Inform Consent (PIC)

Section 15. Regulatory information

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia	: All components are listed or exempted.
China	: All components are listed or exempted.
Europe	: All components are listed or exempted.
Japan	: All components are listed or exempted.
Malaysia	: Not determined.
New Zealand	: All components are listed or exempted.
Philippines	: All components are listed or exempted.
Republic of Korea	: All components are listed or exempted.
Taiwan	: All components are listed or exempted.
Turkey	: Not determined.

U.S. Federal Regulations : **TSCA 4(a) final test rules:** Biuret; Urea, reaction products with formaldehyde
TSCA 8(a) CDR Exempt/Partial exemption: Not determined
TSCA 8(b) inventory: All components are listed or exempted.

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304 Composition/information on ingredients

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : Immediate (acute) health hazard
 Delayed (chronic) health hazard

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Ammonium nitrate	≥25 - <50	No.	No.	No.	Yes.	No.

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	Ammonium nitrate	6484-52-2	45
Supplier notification	Ammonium nitrate	6484-52-2	45

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Section 15. Regulatory information

Massachusetts	: The following components are listed: Ammonium nitrate
New York	: None of the components are listed.
New Jersey	: The following components are listed: Ammonium nitrate; Nitric acid ammonium salt.
Pennsylvania	: The following components are listed: Nitric acid ammonium salt.
California Prop. 65	: Not listed.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	1
Flammability	0
Physical hazards	0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA).

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Copyright ©2013, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

History

Date of printing	: 5/4/2016
Date of issue/Date of revision	: 5/4/2016
Date of previous issue	: 1/18/2016
Version	: 2.1

☑ Indicates information that has changed from previously issued version.

This Safety Data Sheet has been revised to comply with Hazcom 2012 and WHMIS 2015 requirements.

Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations HPR = Hazardous Products Regulations
-----------------------------	--

Procedure used to derive the classification

Classification	Justification
EYE IRRITATION - Category 2B	Weight of evidence

Section 16. Other information

References

: Transportation of Dangerous Goods Act and Clear Language Regulations, current edition at time of (M)SDS preparation, Transport Canada;
 Hazardous Products Act and Regulations, current revision at time of (M)SDS preparation, Health Canada;
 Domestic Substances List, current revision at time of (M)SDS preparation, Environment Canada;
 29 CFR Part 1910, current revision at time of SDS preparation, U.S. Occupational Safety and Health Administration;
 40 CFR Parts 1-799, current revision at time of SDS preparation, U.S. Environmental Protection Agency;
 49 CFR Parts 1-199, current revision at time of SDS preparation, U.S. Department of Transport;
 Threshold Limit Values for Chemical Substances, current edition at time of SDS preparation, American Conference of Governmental Industrial Hygienists;
 NFPA 400, National Fire Codes, National Fire Protection Association, current edition at time of SDS preparation;
 NFPA 704, National Fire Codes, National Fire Protection Association, current edition at time of SDS preparation;
 Corrosion Data Survey, Sixth Edition, 1985, National Association of Corrosion Engineers;
 ERG 2012, Emergency Response Guidebook, U.S. Department of Transport, Transport Canada, and the Secretariat of Transportation and Communications of Mexico
 Hazardous Substances Data Bank, current revision at time of SDS preparation, National Library of Medicine, Bethesda, Maryland
 Integrated Risk Information System, current revision at time of SDS preparation, U.S. Environmental Protection Agency, Washington, D.C.
 Pocket Guide to Chemical Hazards, current revision at time of SDS preparation, National Institute for Occupational Safety and Health, Cincinnati, Ohio ;
 Agency for Toxic Substances and Disease Registry Databank, current revision at time of SDS preparation, U.S. Department of Health and Human Services, Atlanta, Georgia
 National Toxicology Program, Report on Carcinogens, Division of the National Institute of Environmental Health Sciences, Research Triangle Park, North Carolina.
 Registry of Toxic Effects of Chemical Substances. National Institute for Occupational Safety and Health, Cincinnati, Ohio
 The Fertilizer Institute, Product Toxicology Testing Program Results, TFI, Washington , D.C., 2003

Notice to reader

DISCLAIMER AND LIMITATION OF LIABILITY

The information and recommendations contained in this Safety Data Sheet ("SDS") relate only to the specific material referred to herein (the "Material") and do not relate to the use of such Material in combination with any other material or process. The information and recommendations contained herein are believed to be current and correct as of the date of this SDS. **HOWEVER, THE INFORMATION AND RECOMMENDATIONS ARE PRESENTED WITHOUT WARRANTY, REPRESENTATION OR LICENSE OF ANY KIND, EXPRESS OR IMPLIED, WITH RESPECT TO THEIR ACCURACY, CORRECTNESS OR COMPLETENESS, AND THE SELLER, SUPPLIER AND MANUFACTURER OF THE MATERIAL AND THEIR RESPECTIVE AFFILIATES (COLLECTIVELY, THE "SUPPLIER") DISCLAIM ALL LIABILITY FOR RELIANCE ON SUCH INFORMATION AND RECOMMENDATIONS.** This SDS is not a guarantee of safety. A buyer or user of the Material (a "Recipient") is responsible for ensuring that it has all current information necessary to safely use the Material for its specific purpose.

FURTHERMORE, THE RECIPIENT ASSUMES ALL RISK IN CONNECTION WITH THE USE OF THE MATERIAL. THE RECIPIENT ASSUMES ALL RESPONSIBILITY FOR ENSURING THE MATERIAL IS USED IN A SAFE MANNER IN COMPLIANCE WITH APPLICABLE ENVIRONMENTAL, HEALTH, SAFETY AND SECURITY LAWS, POLICIES AND GUIDELINES. THE SUPPLIER DOES NOT WARRANT THE MERCHANTABILITY OF THE MATERIAL OR THE FITNESS OF THE MATERIAL FOR ANY PARTICULAR USE AND ASSUMES NO RESPONSIBILITY FOR INJURY OR DAMAGE CAUSED DIRECTLY OR INDIRECTLY BY OR RELATED TO THE USE OF THE MATERIAL.